#### \*344IHSSF3123\*



DocumentID

NONCD0002805

Site Name

CITY OF CHARLOTTE-SCALEYBARK SITE

DocumentType

Correspondence (C)

RptSegment

1

DocDate

9/24/2007

DocRcvd

9/24/2007

Вох

SF3123

AccessLevel

**PUBLIC** 

Division

WASTE MANAGEMENT

Section

**SUPERFUND** 

Program

IHS (IHS)

DocCat

**FACILITY** 

Print	Form

Staff Name: BOBBY LUTFY

# Inactive Hazardous Sites Tracking Data Entry Always enter ID# and site name, Otherwise, only enter new information/changes.

ID#: NONCO 000 2805	Site Name:	•	tte - Scaleybark Site	-		
Site Address: 3610 South Blvd and 101 Clanton Rd	Site City:	Charlotte		_		
3010 South Biva and 101 Clanton Rd	Site County:	Mecklenburg		_		
Process Code: MF Re	esidence on Site?	? Yes	□ No ⊠			
Distance to Nearest Water Source Well:	> 1/4 mile					
Distance to Nearest Water Source Intake:	No Informati	tion				
Coordinates: Latitude: 35.19356		Longitude:	-80.87471			
[NAD83, Decimal-degrees-fifth order]	<del></del>	Longitude.		<del></del>		
Geolocation Method:						
☐ Registered Land Surveyor	X	On Scree	n Placement on Georeferei	nced Map		
☐ GPS Survey Grade Corrected		Hard Cop				
☐ GPS Survey Grade Not Corrected			g (address match)			
☐ GPS Mapping Grade Corrected		Supplied b	by others (unsubstantiated)	)		
☐ GPS Mapping Grade Not Correcte	d 🗆	Unknown				
☐ GPS Recreational Grade	_					
Inventory Categories: (*If "Yes," site cannot be in more than one category.)						
SPL* ☐ SPL SCORE		Solid Waste	l oad			
Voluntary (AA)* □						
Evaluation Pending*		NPL	PA Superfund/DoD Lead			
No Further Action*			TOD I I			
NFA - Restricted Use*		RCRA Non- TSD	-18D Lead			
		DRP Lead				
Non-HS Site - Open			•			
Non-HS Site - NFA		DSCA Lead				
Non-HS Site - NFA Restricted Use		UST Lead				
	1'	Duplicate				
Contaminant Data: (Based on laboratory detection.,	<u> </u>					
Ground	water	Soil	Surface Water	Sediment		
Organics		X				
Metals		$\boxtimes$				
Pesticides/Herbicides				П		
Acids						
Bases						
Cyanide				$\overline{\Box}$		
Inorganics	3		$\bar{\sqcap}$	$\overline{\sqcap}$		
Radioactive Constituents	_ ]					
Known/suspected Contamination (Check only if n	o lab data)		<del>_</del>	<del></del>		



## North Carolina Department of Environment and Natural Resources

Michael F. Easley, Governor William G. Ross Jr., Secretary

#### Division of Waste Management Underground Storage Tank Section

Dexter R. Matthews, Director

September 24, 2007

Re:

City of Charlotte Engineering & Property Management 600 East Fourth Street Charlotte, North Carolina 28202 Attention: David Wolfe

COF

Notice of No Further Action 15A NCAC 2L .0106

Corrective Action

Affordable Custom Iron-Former

3610 South Boulevard Mecklenburg County Incident Number: 91008 Ranking: Low Risk

Dear Mr. Wolfe:

The Site Closure Report received by the Underground Storage Tank (UST) Section, Mooresville Regional Office on September 7, 2007 has been reviewed. A review of the report indicates that soil contamination does not exceed the soil-to-groundwater maximum soil contaminant concentrations (MSCCs).

Based on information provided to date, the UST Section determines that no further action is warranted for this incident. This determination shall apply unless the UST Section later finds that the discharge or release poses an unacceptable risk or a potentially unacceptable risk to human health or the environment.

This No Further Action determination applies only to the subject incident; the non-petroleum contamination found in the form of carbon tetrachloride and arsenic is being referred to the Inactive Hazardous Waste Branch (IHWB) for their review and oversight. Please contact Bruce Parris of IHWB at (704) 235-2185 with questions related to the non-petroleum cleanup.

If you have any questions regarding this notice, please contact me at (704) 235-2172.

Sincerely

Allen J. Schiff ( Hydrogeologist

Mooresville Regional Office

cc: Shawna Caldwell, LUESA-Mecklenburg County Health Department Dane Horna, S&ME

**UST Regional Offices** 

Asheville (ARO) - 2090 US Highway 70, Swannanoa, NC 28778 (828) 296-4500

Fayetteville (FAY) - 225 Green Street, Suite 714, Systel Building, Fayetteville, NC 28301 (910) 433-3300

Mooresville (MOR) - 610 East Center Avenue, Suite 301, Mooresville, NC 28115 (704) 663-1699

Raleigh (RRO) - 1628 Mail Service Center, Raleigh, NC 27699 (919) 791-4200

Washington (WAS) - 943 Washington Square Mall, Washington, NC 27889 (252) 946-6481

Wilmington (WIL) - 127 Cardinal Drive Extension, Wilmington, NC 28405 (910) 796-7215

Winston-Salem (WS) - 585 Waughtown Street, Winston-Salem, NC 27107 (336) 771-5000

Guilford County Environmental Health, 1203 Maple Street, Greensboro, NC 27405, (336) 641-3771

FTP: NFA nonustNOR0507.dot



### North Carolina Department of Environment and Natural Resources

Michael F. Easley, Governor William G. Ross Jr., Secretary

#### Division of Waste Management Underground Storage Tank Section

Dexter R. Matthews, Director

September 21, 2007

City of Charlotte Engineering & Property Management 600 East Fourth Street Charlotte, North Carolina 28202

Attention: David Wolfe

Re:

Notice of No Further Action

15A NCAC 2L .0106

Corrective Action

COPY

Consolidated Steel-Former 101Clanton Road

Mecklenburg County
Incident Number: 91007

Ranking: Low Risk

Dear Mr. Wolfe:

The Site Closure Report received by the Underground Storage Tank (UST) Section, Mooresville Regional Office on September 7, 2007 has been reviewed. A review of the report indicates that soil contamination does not equal or exceed the total petroleum hydrocarbon (TPH) action levels of 40 parts per million (ppm) for semivolatile organics and 250 ppm oil & grease in soil samples taken after excavation activities.

Based on information provided to date, the UST Section determines that no further action is warranted for this incident. This determination shall apply unless the UST Section later finds that the discharge or release poses an unacceptable risk or a potentially unacceptable risk to human health or the environment.

This No Further Action determination applies only to the subject incident; for any other incidents at the subject site, the responsible party must continue to address contamination as required.

If you have any questions regarding this notice, please contact me at the address or telephone number listed below.

Sincerely

Allen J. Schiff

Hydrogeologist

Mooresville Regional Office

cc: Shawna Caldwell, LUESA-Mecklenburg County Health Department

#### **UST Regional Offices**

Asheville (ARO) - 2090 US Highway 70, Swannanoa, NC 28778 (828) 296-4500

Fayetteville (FAY) - 225 Green Street, Suite 714, Systel Building, Fayetteville, NC 28301 (910) 433-3300

Mooresville (MOR) - 610 East Center Avenue, Suite 301, Mooresville, NC 28115 (704) 663-1699

Raleigh (RRO) - 1628 Mail Service Center, Raleigh, NC 27699 (919) 791-4200

Washington (WAS) - 943 Washington Square Mall, Washington, NC 27889 (252) 946-6481

Wilmington (WIL) - 127 Cardinal Drive Extension, Wilmington, NC 28405 (910) 796-7215

Winston-Salem (WS) - 585 Waughtown Street, Winston-Salem, NC 27107 (336) 771-5000

Guilford County Environmental Health, 1203 Maple Street, Greensboro, NC 27405, (336) 641-3771